

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC




(818) 979-9474
http://www.caligreenlaboratory.com

Green

Sample ID: 2212CGL3851.9686
Strain: Green
Matrix: Ingestible
Type: Soft Chew
Sample Size: 20 units; Batch:

Produced:
Collected: 12/09/2022
Received: 12/09/2022
Completed: 12/16/2022
Batch#:

Client
Joshua Nichols
Lic. #
2338 E. Anaheim St. #102
Long Beach, CA 90804



Summary - Safety & Quality Tests

| Test | Date Tested | Result |
|-------|-------------|--------|
| Batch | 12/12/2022 | Pass |

| Test | Date Tested | Result |
|-------------------|-------------|----------------|
| Cannabinoids | 12/13/2022 | Complete |
| Water Activity | 12/13/2022 | 0.50 aw - Pass |
| Residual Solvents | 12/15/2022 | Pass |
| Microbials | 12/14/2022 | Pass |
| Mycotoxins | 12/15/2022 | Pass |
| Pesticides | 12/15/2022 | Pass |
| Heavy Metals | 12/13/2022 | Pass |
| Foreign Matter | 12/12/2022 | Pass |

| Analyte | LOD | LOQ | Result | Result | Result | Result |
|------------------|------|------|--------------|---------------|----------------|----------------|
| | mg/g | mg/g | % | mg/g | mg/serving | mg/container |
| THCa | 0.49 | 0.97 | ND | ND | ND | ND |
| Δ9-THC | 0.73 | 0.97 | 0.264 | 2.64 | 24.458 | 24.458 |
| Δ8-THC | 0.73 | 0.97 | ND | ND | ND | ND |
| THCV | 0.73 | 0.97 | ND | ND | ND | ND |
| CBDa | 0.49 | 0.97 | ND | ND | ND | ND |
| CBD | 0.73 | 0.97 | 2.385 | 23.85 | 220.819 | 220.819 |
| CBDV | 0.73 | 0.97 | ND | ND | ND | ND |
| CBN | 0.49 | 0.97 | ND | ND | ND | ND |
| CBGa | 0.49 | 0.97 | ND | ND | ND | ND |
| CBG | 0.73 | 0.97 | ND | ND | ND | ND |
| CBC | 0.49 | 0.97 | ND | ND | ND | ND |
| Total THC | | | 0.264 | 2.641 | 24.458 | 24.458 |
| Total CBD | | | 2.385 | 23.847 | 220.819 | 220.819 |
| Total | | | 2.649 | 26.489 | 245.277 | 245.277 |

1 Unit = 1 Gummy, 9.2597g, 1 unit(s) per serving, 1 serving(s) per container.
Cannabinoids Date Tested: 12/13/2022
Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
12/16/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
<http://www.caligreenlaboratory.com>

Green

Sample ID: 2212CGL3851.9686

Produced:

Client

Strain: Green

Collected: 12/09/2022

Joshua Nichols

Matrix: Ingestible

Received: 12/09/2022

Lic. #

Type: Soft Chew

Completed: 12/16/2022

2338 E. Anaheim St. #102

Sample Size: 20 units; Batch:

Batch#:

Long Beach, CA 90804

Microbials Lab Results

Pass

| Analyte | Result | Analyte | Result |
|-------------------------------|--------------------|----------------|--------------------|
| Shiga toxin-producing E. Coli | Not Detected in 1g | Salmonella SPP | Not Detected in 1g |

Date Tested: 12/14/2022

Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------|-------|-------|-------|--------|--------|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | | | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | 1.25 | 5 | | ND | Tested | G2 | 2.5 | 5 | 20 | ND | Tested |
| B2 | 1.25 | 5 | | ND | Tested | Ochratoxin A | 6.6 | 16.6 | 20 | ND | Pass |
| G1 | 1.25 | 5 | | ND | Tested | Total Aflatoxins | | | 20 | ND | Pass |

Date Tested: 12/15/2022

Mycotoxins by LC-MSMS: CGL-P-720-007-B

LOQ = Limit of Quantitation

Heavy Metals Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------|----------|------|-------|--------|--------|---------|----------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.000124 | 0.05 | 0.2 | <LOQ | Pass | Lead | 0.000119 | 0.05 | 0.5 | <LOQ | Pass |
| Cadmium | 0.000111 | 0.05 | 0.2 | <LOQ | Pass | Mercury | 0.000097 | 0.05 | 0.1 | ND | Pass |

Date Tested: 12/13/2022

Heavy Metals by ICP-MS: CGL-P-720-012-B

LOQ = Limit of Quantitation

Residual Solvents Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|--------|--------|-------|--------|--------|--------------------|--------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 0.2344 | 0.4688 | 1 | ND | Pass | Isopropanol | 23.438 | 187.5 | 5000 | ND | Pass |
| Acetone | 23.438 | 187.5 | 5000 | ND | Pass | m+p Xylene | 23.438 | 187.5 | | ND | Tested |
| Acetonitrile | 23.438 | 187.5 | 410 | ND | Pass | Methanol | 93.75 | 187.5 | 3000 | ND | Pass |
| Benzene | 0.2344 | 0.4688 | 1 | ND | Pass | Methylene-Chloride | 0.2344 | 0.4688 | 1 | ND | Pass |
| Butane | 23.438 | 93.75 | 5000 | ND | Pass | n-Hexane | 23.438 | 187.5 | 290 | ND | Pass |
| Chloroform | 0.2344 | 0.4688 | 1 | ND | Pass | o-Xylene | 23.438 | 187.5 | | ND | Tested |
| Ethanol | 23.438 | 187.5 | 5000 | ND | Pass | Pentane | 23.438 | 187.5 | 5000 | ND | Pass |
| Ethyl-Acetate | 23.438 | 187.5 | 5000 | ND | Pass | Propane | 23.438 | 93.75 | 5000 | ND | Pass |
| Ethyl-Ether | 23.438 | 187.5 | 5000 | ND | Pass | Toluene | 23.438 | 187.5 | 890 | ND | Pass |
| Ethylene Oxide | 0.2344 | 0.4688 | 1 | ND | Pass | Trichloroethene | 0.2344 | 0.4688 | 1 | ND | Pass |
| Heptane | 23.438 | 187.5 | 5000 | ND | Pass | Xylenes | 23.438 | 187.5 | 2170 | ND | Pass |

Date Tested: 12/15/2022

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
12/16/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474
<http://www.caligreenlaboratory.com>

Green

Sample ID: 2212CGL3851.9686
Strain: Green
Matrix: Ingestible
Type: Soft Chew
Sample Size: 20 units; Batch:

Produced:
Collected: 12/09/2022
Received: 12/09/2022
Completed: 12/16/2022
Batch#:

Client
Joshua Nichols
Lic. #
2338 E. Anaheim St. #102
Long Beach, CA 90804

Pesticides Lab Results

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|---------|-------|---------|--------|--------|-------------------------|---------|-------|---------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.0375 | 0.075 | 0.1 | ND | Pass | Fludioxonil | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Acephate | 0.01875 | 0.075 | 0.1 | ND | Pass | Hexythiazox | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Acequinocyl | 0.075 | 0.1 | 0.1 | ND | Pass | Imazalil | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Acetamiprid | 0.01875 | 0.075 | 0.1 | ND | Pass | Imidacloprid | 0.01875 | 0.075 | 5 | ND | Pass |
| Aldicarb | 0.01875 | 0.075 | 0.01875 | ND | Pass | Kresoxim Methyl | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Azoxystrobin | 0.01875 | 0.075 | 0.1 | ND | Pass | Malathion | 0.01875 | 0.1 | 0.5 | ND | Pass |
| Bifenazate | 0.01875 | 0.075 | 0.1 | ND | Pass | Metalaxyl | 0.01875 | 0.1 | 2 | ND | Pass |
| Bifenthrin | 0.01875 | 0.1 | 3 | ND | Pass | Methiocarb | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Boscalid | 0.01875 | 0.075 | 0.1 | ND | Pass | Methomyl | 0.01875 | 0.075 | 1 | ND | Pass |
| Captan | 0.01875 | 0.075 | 0.7 | ND | Pass | Mevinphos | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Carbaryl | 0.01875 | 0.1 | 0.5 | ND | Pass | Myclobutanil | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Carbofuran | 0.01875 | 0.075 | 0.01875 | ND | Pass | Naled | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.01875 | 0.1 | 10 | ND | Pass | Oxamyl | 0.01875 | 0.075 | 0.5 | ND | Pass |
| Chlordane | 0.01875 | 0.075 | 0.01875 | ND | Pass | Paclobutrazol | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Chlorfenapyr | 0.01875 | 0.075 | 0.01875 | ND | Pass | Parathion Methyl | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Chlorpyrifos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pentachloronitrobenzene | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Clofentezine | 0.01875 | 0.075 | 0.1 | ND | Pass | Permethrin | 0.01875 | 0.1 | 0.5 | ND | Pass |
| Coumaphos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Phosmet | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Cyfluthrin | 0.01875 | 0.075 | 2 | ND | Pass | Piperonyl Butoxide | 0.01875 | 0.1 | 3 | ND | Pass |
| Cypermethrin | 0.01875 | 0.075 | 1 | ND | Pass | Prallethrin | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Daminozide | 0.01875 | 0.075 | 0.01875 | ND | Pass | Propiconazole | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Diazinon | 0.01875 | 0.075 | 0.1 | ND | Pass | Propoxur | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Dichlorvos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pyrethrins | 0.0375 | 0.1 | 0.5 | ND | Pass |
| Dimethoate | 0.01875 | 0.075 | 0.01875 | ND | Pass | Pyridaben | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Dimethomorph | 0.01875 | 0.1 | 2 | ND | Pass | Spinetoram | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Ethoprophos | 0.01875 | 0.075 | 0.01875 | ND | Pass | Spinosad | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Etofenprox | 0.0375 | 0.075 | 0.0375 | ND | Pass | Spiromesifen | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Etoxazole | 0.01875 | 0.075 | 0.1 | ND | Pass | Spirotetramat | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Fenhexamid | 0.0375 | 0.075 | 0.1 | ND | Pass | Spiroxamine | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Fenoxycarb | 0.01875 | 0.075 | 0.01875 | ND | Pass | Tebuconazole | 0.01875 | 0.075 | 0.1 | ND | Pass |
| Fenpyroximate | 0.05625 | 0.075 | 0.1 | ND | Pass | Thiacloprid | 0.01875 | 0.075 | 0.01875 | ND | Pass |
| Fipronil | 0.01875 | 0.075 | 0.01875 | ND | Pass | Thiamethoxam | 0.01875 | 0.075 | 5 | ND | Pass |
| Fonicamid | 0.0375 | 0.075 | 0.1 | ND | Pass | Trifloxystrobin | 0.01875 | 0.075 | 0.1 | ND | Pass |

LABORATORY

Date Tested: 12/15/2022
Pesticides by LC-MS/MS: CGL-P-720-007-B; Pesticides by GC-MS/MS: CGL-P-720-008-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
12/16/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.